



Product Catalog



**Log Splitters, Spreaders
and Carts**



Prices effective
November 2023
Prices Include GST

≡ Log Splitters, Spreaders and Carts



Log Splitter - Hydraulic - 37T

\$3,569.00

Model: LST3700
Engine: Kohler
Displacement: 277cc
Power: 9HP
Filter: Spin on Replacement
Max. Splitting Force: 37T
Cycle Time: 15s (Forward: 8s, Backwards: 7s)
Max. Log Length: 550mm
Cylinder: Ø127 x 493mm stroke
Pump: 64LPM (17GPM), 2 stage gear pump
Max PSI: 3800
Hydraulic Capacity: 30L
Hydraulic Oil: 16.3L AW32, AW46 or Universal
Wedge: 200mm Hardened Steel (8")
Valve: Auto Return
Hitch Type: AUC ball coupler 50mm
Working Status: Horizontal or Vertical
Tyre: D.O.T 406mm (16")
Colour: Black
Max. Towable Speed: 72km/h
Jockey Wheel: 152mm (6")
Work Table Size: one side 688(L) x 206(W)mm, other side 688(L) x 266(W)mm
Overall Size: 2098(L) x 1093(W) x 1080(H)mm
Packaging Size: 200(L) x 550(W) x 830(H)mm
Weight NW: 290.5kg
 Not approved for road use when supplied,
 Some Assembly Required



Log Splitter - Hydraulic - 30T

\$2,939.00

Model: LST3000
Engine: Kohler
Displacement: 196cc
Power: 6.5HP
Filter: Spin on Replacement
Max. Splitting Force: 30T
Cycle Time: 13s (Forward: 7s, Backwards: 6s)
Max. Log Length: 610mm
Cylinder: Ø115 x 572mm stroke
Pump: 53LPM (14GPM), 2 stage gear pump
Max PSI: 3800
Hydraulic Capacity: 24.6L
Hydraulic Oil: 11L AW32, AW46 or Universal
Wedge: 200mm Hardened Steel (8")
Valve: Auto Return
Hitch Type: AUC ball coupler 50mm
Working Status: Horizontal or Vertical
Tyre: D.O.T 406mm (16")
Colour: Black
Max. Towable Speed: 72km/h
Jockey Wheel: 152mm (6")
Work Table Size: one side 688(L) x 206(W)mm, another side 688(L) x 266(W)mm
Overall Size: 2249(L) x 1145(W) x 1063(H)mm
Packaging Size: 200(L) x 550(W) x 760(H)mm
Weight NW: 240kg
 Not approved for road use when supplied,
 Some Assembly Required



**Log Splitter - Hydraulic
Log Lifter - 37T**

\$4,295.00

Model: LST37F
 Engine: Kohler
 Displacement: 429cc
 Power: 14HP
 Filter: Spin on Replacement
 Max. Splitting Force: 37T
 Cycle Time: 18s
 Max. Log Length: 550mm
 Cylinder: Ø127 x 493mm stroke
 Pump: 61LPM (16GPM), 2 stage gear pump
 Max PSI: 3836
 Hydraulic Oil: 16L AW32 or Universal
 Wedge: 200mm Heavy Duty Cast Wheel Wedge (8")
 Valve: Auto Return with Safe Relief Function
 Hitch Type: AUC ball coupler 50mm
 Working Status: Horizontal
 Tyre: D.O.T 406mm (16")
 Colour: Black
 Max. Towable Speed: 72km/h
 Jockey Wheel: 200mm (8") x 50mm (2")
 Log Lifter Size: 1026(L) x 480(W)mm
 Overall Size: 2153(L) x 1117(W) x 905(H)mm
 Packaging Size: -
 Package 1: 1730(L) x 520(W) x 79(OH)mm
 Package 2: 1060(L) x 515(W) x 250(H)mm
 Weight NW: 325kg
 Not approved for road use when supplied,
 Some Assembly Required

**Log Splitter - PTO, CAT 1 /
2 - 30T**

\$2,295.00

Model: LTS30
 Max. Splitting Force: 30T (29.4T)
 Minimum Cycle Time: 7.1s
 Max. Log Length: 660mm
 Cylinder: Ø114x 622mm stroke
 Recommended Tractor PSI: 1500 - 2500
 Max Tractor PSI: 3700
 Wedge: 228mm Hardened Steel (9")
 Valve: Auto Return
 Recommend Tractor Hydraulic Flow: 30-57LPM (8-15GPM)
 Max Flow: 95LPM (25GPM)
 Hydraulic Hoses: Comes with 2.5m Hoses
 Working Status: Horizontal or Vertical
 Connection: Category 1 and 2
 Colour: Black
 Work Table Size: 550(L) x 313(W)mm
 Overall Size: 1983(L) x 853(W) x 1120(H)mm
 Packaging Size: 1910(L) x 480(W) x 710(H)mm
 Weight NW: 210kg
 Some Assembly Required

Splitting Force & Cycle time depends on your tractors

SPLITTING FORCE IN TONS

Cylinder Dia.	1000 PSI	1500 PSI	2000 PSI	2500 PSI	3000 PSI	3500 PSI
4.5"	7.9	11.9	15.9	19.9	23.9	27.8

CYCLE TIME IN SECONDS

Cylinder Size	5 GPM	10 GPM	15 GPM	20 GPM	25 GPM
4.5" x 24.5"	36.3	18.1	12.1	9	7.1



Spreader - Walk Behind - 16L

Model: SP31514
Capacity: 16L (60lb)
Spread Width: 3048–3658mm
Coverage:
Control: Rate Setting on handle for precise adjustments
Hopper Dimension: 530 x 405 x 285mm
Hopper Material: Polypropylene (PP)
Gear: Heavy Duty Nylon
Tyre: 254mm (10") Plastic
Colour: Black
Overall Size: 780(L) x 420(W) x 690(H)mm
Packaging Size: 470(L) x 370(W) x 230(H)mm
Weight NW: 5.0kg
Included: Screen and Rain Cover

\$145.00

Some Assembly Required



Spreader - Walk Behind - 29L

Model: SP31504
Capacity: 29L (80lb)
Spread Width: 3048–3658mm
Coverage: 1,485m²
Control: Rate Setting on handle for precise adjustments
Hopper Dimension: 528(L) x 403(W) x 264(H)mm
Hopper Material: Polypropylene (PP)
Gear: Heavy Duty Nylon
Tyre: 304mm (12") 350-6 Pneumatic
Colour: Black
Overall Size: 650(L) x 350(W) x 835(H)mm
Packaging Size: 620(L) x 420(W) x 320(H)mm
Weight NW: 10.4kg
Included: Screen and Rain Cover

\$189.00

Some Assembly Required



Spreader - Walk Behind - 60L

Model: BS125T
Capacity: 60L (125lb)
Spread Width: 3048–3658mm
Coverage: 2,320m²
Control: Setting on handle for precise adjustments
Hopper Dimension: 745(L) x 413(W) x 330(H)mm
Hopper Material: Polypropylene (PP)
Gear: Heavy Duty Aluminium
Tyre: 355mm (14") /600-6 Pneumatic
Colour: Black
Overall Size: 1150(L) x 760(W) x 890(H)mm
Packaging Size: 780(L) x 550(W) x 450(H)mm
Weight NW: 17.6kg
Included: Screen and Rain Cover

\$295.00



Spreader - Tow Behind - 88L

\$389.00

Model: SP31576
Capacity: 88L (200lb)
Spread Width: 3048–3658mm
Coverage: 3,716m²
Control: Rate Setting on handle for precise adjustments
Hopper Dimension: 840(L) x 590(W) x 460(H)mm
Tow Bar Length: 720(L)mm
Hopper Material: Polypropylene (PP)
Gear: Heavy Duty Metal
Hitch Type: 12.5mm (1/2") Pin—Quick Hitch
Tyre: 355mm (14") /600-6 Pneumatic
Overall Size: 1128(L) x 834(W) x 1128(H)mm
Packaging Size: 860(L) x 570(W) x 930(H)mm
Weight NW: 26kg
Included: Screen and Rain Cover

Some Assembly Required



Spreader - Tow Behind - 160L

\$985.00

Model: SP31501
Capacity: 160L (350lb)
Spread Width: 3048–3658mm Coverage: 5,800M²
Control: Rate Setting on handle for precise adjustments
Hopper Dimension: 903(L) x 895(W) x 545(H)mm
Hopper Material: Steel
Gear: Heavy Duty Cast Iron, Oil Batch Gearbox
Hitch Type: ECU ball coupler 50mm
Tyre: 355mm (14") /600-6 Pneumatic
Colour: Black
Overall Size: 1450(L) x 970(W) x 1170(H)mm
Packaging Size: 910(L) x 890(W) x 350(H)mm
Weight NW: 71kg
Ideal for use when a PTO is not available. Spreads Seed, Fertiliser, Sand and Salt.
Adjustable Tow Bar

Some Assembly Required



Spreader - ATV - 29L

\$195.00

Model: SP31506
Capacity: 29L (80lb)
Spread Width: 3658mm
Coverage: 1,486m²
Control: Rate Setting on handle for precise adjustments
Hopper Material: Poly
Motor Voltage: 12 Volt Vinyl Coated Motor
Motor RPM: 560rpm
Mounting: To Front or Rear Luggage Racks
Spreads: Seeds, Fertiliser and sand
Colour: Black
Overall Size: 508(L) x 640(W) x 325(H)mm
Packaging Size: 570(L) x 420(W) x 350(H)mm
Weight NW: 5.5kg
Included: Rain Cover, Wiring Harness

Some Assembly Required



Cart - Poly Dump, Hand / Towable - 295kg

\$359.00

Model: SP22134
 Capacity: 295kg (650lb, 10ft³)
 Control: Foot Pedal Release Mechanism for Easy Dumping, Comfortable "T" Handle
 Cart Bed Size: 1122(L) x 840(W) x 269(H)mm
 Cart Bed Material: Heavy Duty Rustproof of Poly Hopper
 Hitch Type: 12.5mm (1/2") Pin Quick Hitch
 Tyre: 406mm (16" x 5.5") Pneumatic
 Colour: Black
 Overall Size: 1650(L) x 900(W) x 750(H)mm
 Packaging Size: 1123(L) x 856(W) x 290(H)mm
 Weight NW: 30.5kg

Some Assembly Required



Cart - Heavy Duty Mesh, Hand / Towable - 450kg

\$369.00

Model: SP22123
 Capacity: 450kg (1000lb)
 Cart Bed Size: 1140(L) x 590(W) x 305(H)mm
 Cart Bed Material: Mesh Steel
 Tyre: 330mm (13") / 350-6 Pneumatic
 Hitch Type: 12.5mm (1/2") Pin
 Colour: Black Frame, Green Mesh Sides
 Overall size: 1291(L) x 610(W) x 1010(H)mm
 Packaging Size: 1220(L) x 635(W) x 165(H)mm
 Weight NW: 30.4kg

Some Assembly Required



Cart / Trailer - Dump - 450kg

\$619.00

Model: SP22125
 Capacity: 450kg (1000lb)
 Control: Foot Pedal Release Mechanism for Easy Dumping
 Cart Bed Size: 1500(L) x 775(W) x 515(H)mm
 Cart Bed Material: Steel
 Hitch Type: 12.5mm (1/2") Pin
 Tyre: 406mm (16" x 5") Pneumatic
 Colour: Silver
 Overall Size: 2050(L) x 840(W) x 970(H)mm
 Packaging Size: 1570(L) x 835(W) x 195(H)mm
 Weight NW: 57.5kg

Some Assembly Required



Trailer - Double Axle - 900kg

Model: SP22103
Capacity: 900Kg (2000lb)
Trailer Bed Size: 1549(L) x 927(W) x 355(H)mm
Trailer Bed Material: Steel
Hitch Type: 12.5mm (1/2") Pin
Tyre: 406mm (16" x 5") Pneumatic
Colour: Black
Overall Size: 1535(L) x 933(W) x 387(H)mm
Packaging Size: 1570(L) x 835(W) x 195(H)mm
Weight NW: 77kg

\$549.00

Some Assembly Required



Trailer - Single Axle - 545kg

Model: SP22146
Capacity: 545Kg (1200lb)
Trailer Bed Size: 1550(L) x 785(W) x 460(H)mm
Trailer Bed Material: Polyethylene
Hitch Type: 12.5mm (1/2") Pin
Tyre: 457mm (16") Pneumatic
Colour: Black
Overall Size: 2160(L) x 1190(W) x 785(H)mm
Packaging Size: 1600(L) x 825(W) x 475(H)mm
Weight NW: 44kg

\$799.00

Some Assembly Required

FEATURES

Quick release tipper latch makes loading and unloading convenient and easy
Rugged Polyethylene bed and all steel frame with powder coat finish won't rust, dent or corrode
Pass through axle for extra clearance to allow your cart to cover nearly any terrain
Durable tilt and pivot steel frame to easily dump loads
Wide track tires with sealed bearings that won't need greasing
Pin style hitch for use with almost any ATV and lawn tractors



Plug Aerator - 1220mm (48")

Model: SP31102
 No. Of Coring Points: 32 (Replaceable)
 Ground Penetration: 75mm (3")
 Tray Capacity: 63.5kg (140lb)
 Control: Single Hand Lift Lever
 Hitch Type: 12.5mm (1/2") Pin
 Tyre: 254mm (10") 350-4 Pneumatic
 Colour: Black
 Overall Size: 1550(L) x 950(W) x 850(H)mm
 Packaging Size: 1280(L) x 460(W) x 200(H)mm
 Weight NW: 42kg

\$395.00

Some Assembly Required



Lawn Sweeper - 1220mm (48")

Model: SP31109
 Width: 1220mm (48")
 Capacity: 0.41m³ (14.6ft³)
 Brush Diameter: 254mm (10")
 Hitch Type: 12.5mm (1/2") Pin
 Tyre: 266 x 60.3mm (10 1/2 x 2 3/8") Rubber
 Colour: Black
 Overall Size: 1580(L) x 1400(W) x 580(H)mm
 Packaging Size: 1440(L) x 430(W) x 330(H)mm
 Weight NW: 39kg

\$579.00

Some Assembly Required



Quick Hitch - Cat 1

Model: SP35320
 Attachment: 2 Spring Loaded handles for fast and easy attachment and release of 3PT implements
 Material: Heavy Duty Steel construction
 Top Link Ball bracket: Adjustable
 Colour: Black
 Inside Measurement Between Hooks: 688mm (27.1")
 Inside Measurement Between Hooks: 745mm (29.3")
 Overall Size: 806.5(L) x 708(W) x 727(H)mm
 Packaging Size: 860(L) x 640(W) x 310(H)mm
 Weight NW: 34.0kg
 Included: Two Bushings

\$299.00



Quick Hitch - Cat 2

Model: SP35321

Attachment: 2 Spring Loaded handles for fast and easy attachment and release of 3PT implements

Material: Heavy Duty Steel construction

Top Link Ball bracket: Fixed

Colour: Black

Inside Measurement Between Hooks: 822mm (32.8")

Inside Measurement Between Hooks: 922mm (36.3")

Overall Size: 970(L) x 226(W) x 580(H)mm

Packaging Size: 1020(L) x 630(W) x 330(H)mm

Weight NW: 60.0kg

Included: Two Bushings

\$649.00



Stump Grinder - 15HP

Model: SP48105

Power: 15HP

Grinding Diameter: 245mm (9.6")

Grinding Depth: 305mm (12")

Cutters: 12 Cutter with Carbide Tips

Drive: Heavy Duty Commercial Clutch Drive System

Control: Hand Lever

Handles: Easy-Lift Handles on each side of the machine makes easy loading without the need for ramps

Tyre: 305mm (12") x 114mm (4.5") Pneumatic

Colour: Black / Silver

Overall Size: 1640(L) x 750(W) x 1100(H)mm

Packaging Size: 1130(L) x 830(W) x 760(H)mm

Weight NW: 100kg

Some Assembly Required

\$2,295.00



Tine De-Thatcher - 1220mm (48")

Model: SP31213

Width: 1220mm (48")

No. of Spring Steel Tines: 24 (Replaceable)

Tray : Heavy Duty for adding weight

Control: Single Hand Lift Lever

Hitch Type: 12.5mm (1/2") Pin

Tyre: 178mm (7") Poly Tires

Colour: Black Powder Coat Finish

Overall Size: 1084(L) x 1220(W) x 695(H)mm

Packaging Size: 1260(L) x 310(W) x 90(H)mm

Weight NW: 18kg

Some Assembly Required

\$249.00

Lawn Roller - 1220mm (48")

\$495.00



Model: SP45203

Width of Roller: 1220mm (48")

Overall Width: 1320mm (52")

Roller Dimension: 1220mm (48") x 356mm (14")

Load Capacity: 172kg

Hitch Type: 12.5mm (1/2") Pin

Colour: Black Powder Coat Finish

Overall Size: 1060(L) x 1380(W) x 356(H)mm

Packaging Size: 1435(L) x 495(W) x 580(H)mm

Weight NW: 56kg

Some Assembly Required



CAT1 to CAT2 Bush and Spring Set

Model: CAT1 to CAT2 Bush and Spring Set
Inside Diameter: 22.5mm
Outside Diameter: 36.5
Length: 102mm
Spring Hole Diameter: 11.5mm
Set: 2 x Bush / 2 x Spring
For: SP35320

\$12.95



CAT2 to CAT 1 Bush and Spring Set

Model: CAT2 to CAT1 Bush and Spring Set
Inside Diameter: 28.5mm
Outside Diameter: 36.5
Length: 102mm
Spring Hole Diameter: 11.5mm
Set: 2 x Bush / 2 x Spring
For: SP35321

\$12.95



AUC Trailer Coupler

Model: AUC Trailer Coupler
Capacity: 2000kg
Size: 50mm

\$49.95



EUC Trailer Coupler

Model: EUC Trailer Coupler
Capacity: 2000kg
Size: 50mm

\$34.95



CONTACT US

Phone:

(03) 313 1415

Email:

Sales@GoodsDirect2U.co.nz

Web:

www.GoodsDirect2U.co.nz

Address:

589 Mount Thomas Road, RD1,
Fernside, New Zealand 7471

Opening Hours:

9am - 5pm Monday-Friday

10am - 12noon Saturday