



Product Catalog



Electric Fences



Prices effective
September 2023
Prices Include GST



Electric Fence - 0.5J

\$95.00

Model: TH-TE05
Input: DC12V
Output Voltage: 10,000-12,000V
Output Joules: 0.3-0.5
Max Consumption: 2-3W
Pulse Speed: 1.2 Sec
IP Rating: IP24
Weight: 0.7Kg
Included: Battery Clamps and 240V Power Pack

Solar Optional:

Recommended 12V,4.5-60Ah deep cycle lead acid / gel battery, 20-60W Solar panel & 12V Solar controller.

Features:

Extremely portable.

Powered by 12V batteries or 240V mains power.

Solar optional.

Low power consumption.

Work up to 5Km (Multi Strand)

12 Month Warranty



Electric Fence - 0.5J, Solar

\$229.00

Model: TH-SE05
Input: DC12V
Output Voltage: 8,000-10,000V
Output Joules: 0.5
Max Consumption: 0.5-1W
Pulse Speed: 1 Sec
Batteries Capacity: 5200mAh/7.4V
IP Rating: IP24
Weight: 6Kg
Included: 10W Solar Panel, Li-Ion Batteries and 240V Power Pack

Solar Panel:

Max power: 10W

Max Voltage: 12V

Max Current: 0.83A

Open Circuit Voltage: 14.4V

Short Circuit Current: 0.91A

Features:

Extremely portable.

High efficiency maximum power point tracking (MPPT) solar recharging system

Work up to 5Km (Multi Strand)

Low voltage battery protection

Energizer will keep the same output shock voltage

12 Month Warranty



Electric Fence - 2J, LED

\$225.00

Model: TH-Mars ES2
 Input: AC110-240V or DC12V
 Output Voltage: 7,000-10,000V
 Output Joules: 2
 Output Modes: 6 (Full, 50%, Day Night, Pulse Duration)
 Display: LED
 Max Consumption: 1.92W
 Pulse Speed: 1.5-2.5 Sec (adjustable)
 IP Rating: IP4X
 Weight: 1.4Kg
 Included: Fence Cable, Earth Cable, Battery Cable and 240V Power Pack

Solar Optional:

Recommended 12V, 65Ah or greater deep cycle lead acid / gel battery, 40-60W Solar panel & 12V Solar controller.

Features:

Extremely portable.

Max Length up to 25Km (Multi Strand), recommended 10km.

Adjustable output shock.

Adjustable Day and Night mode. (light sensor)

Low voltage battery mode.

Energizer will keep the same output shock voltage.

24 Month Warranty



Electric Fence - 5J, LCD

\$289.00

Model: TH-Mars 5
 Input: AC110-240V or DC12V
 Output Voltage: 7,000-10,000V
 Output Joules: 5
 Output Modes: 6 (Full, 50%, Day Night, Pulse Duration)
 Display: LCD
 Max Consumption: 2.4W
 Pulse Speed: 1.5-2.5 Sec (adjustable)
 IP Rating: IP55
 Weight: 1.6Kg
 Included: Fence Cable, Earth Cable, Battery Cable and 240V Power Pack

Solar Optional:

Recommended 12V, 65Ah or greater deep cycle lead acid / gel battery, 40-60W Solar panel & 12V Solar controller.

Features:

Extremely portable.

Max Length up to 35Km (Multi Strand), recommended 10km.

Adjustable output shock.

Adjustable Day and Night mode. (light sensor)

Low voltage battery mode.

Energizer will keep the same output shock voltage.

24 Month Warranty



Electric Fence - 5J, LED

\$259.00

Model: TH-Mars ES5
 Input: AC110-240V or DC12V
 Output Voltage: 7,000-10,000V
 Output Joules: 5
 Output Modes: 6 (Full, 50%, Day Night, Pulse Duration)
 Display: LED
 Max Consumption: 2.4W
 Pulse Speed: 1.5-2.5 Sec (adjustable)
 IP Rating: IP55
 Weight: 1.6Kg
 Included: Fence Cable, Earth Cable, Battery Cable and 240V Power Pack

Solar Optional:

Recommended 12V, 65Ah or greater deep cycle lead acid / gel battery, 40-60W Solar panel & 12V Solar controller.

Features:

Extremely portable.

Max Length up to 35Km (Multi Strand), recommended 10km.

Adjustable output shock.

Adjustable Day and Night mode. (light sensor)

Low voltage battery mode.

Energizer will keep the same output shock voltage.

24 Month Warranty



Electric Fence - 12J

\$449.00

Model: TH-Mars 12
 Input: AC110-240V or DC12V
 Output Voltage: 7,000-11,000V
 Output Joules: 12
 Output Modes: 6 (Full, 50%, Day Night, Pulse Duration)
 Display: LCD
 Max Consumption: 3.5W
 Pulse Speed: 1.5-2.5 Sec (adjustable)
 IP Rating: IP55
 Weight: 3.25Kg
 Included: Fence Cable, Earth Cable, Battery Cable and 240V Power Pack

Solar Optional:

Recommended 12V, 65Ah or greater deep cycle lead acid / gel battery, 40-60W Solar panel & 12V Solar controller.

Features:

Extremely portable.

Max Length up to 70Km (Multi Strand), recommended 20-30km.

Adjustable output shock.

Adjustable Day and Night mode. (light sensor)

Low voltage battery mode.

Energizer will keep the same output shock voltage.



Electric Fence - Solar Controller

\$45.00

Model: TH-SC
Solar Controller
Voltage: Automatic 12/ 24V detection
Current: 10A
Capacity: 120W (12VDC) 250W (24VDC)
IP Rating: IP30
Weight: 0.106Kg
Size: 124.7(L) x 69.4(W) x 34(H)mm

Features:
Over charging/ discharging, over load, short circuit protection, reverse polarity protection
Smart charging features for battery long life
Four working modes
TVS lighting protection
Led display
Various status indications
External temperature sensor



Solar Panel - Mono-crystalline, 12V, 60W

\$130.00

Model: SFM060
Maximum Power (Pmax): 60W
Maximum Power Voltage (Vmp): 17.7V
Maximum Power Current (Imp): 3.39A
Open Circuit Voltage (Voc): 21.6V
Short Circuit Current (Isc): 3.73A
Power Tolerance: +/-3%
Max System Voltage: 1000V
Size: 835(L) x 545(W) x 25(H)cm
Weight: 4.8KG



CONTACT US

Phone:

(03) 313 1415

Email:

Sales@GoodsDirect2U.co.nz

Web:

www.GoodsDirect2U.co.nz

Address:

589 Mount Thomas Road, RD1,
Fernside, New Zealand 7471

Opening Hours:

9am - 5pm Monday-Friday

10am - 12noon Saturday