

# Product

# Catalog



**LED Lights**



Prices effective  
**February 2024**  
Prices Include GST



## LED Down Ceiling Light - White, 300mm Dia, Dimmable, TRI CCT, PB - 15W

Model: RAVOLD2300A-TRI  
 Power: 15W  
 Chip Brand: Epistar SMD  
 CCT: 3000 / 4000 / 5000K (Changeable)  
 CRI: >80  
 Beam Angel: 120°  
 Voltage: 220-240V  
 Lumens: 1300-1440LM  
 PF: >0.9  
 Triac Dimmable: YES  
 Dimmable Range: 10-100%  
 Cable Inlet Size: 0.75-2.5mm<sup>2</sup>

IP Rating: IP44  
 Warranty: 3 years  
 LED Rating: 50,000hours  
 Colour: White  
 Product Size:  $\Phi$ 300(W) x 55(H)mm

Includes: Driver

**\$29.95**

**\$284.52** Box 10

**\$554.07** Box 20



## LED Down Light - White, 70-75mm Cut, 85mm Dia, Dimmable, TRI CCT, PCPB - 6W

Model: RAV6SDY21-TRI-PC  
 Power: 6W  
 Chip Brand: Epistar SMD  
 CCT: 3000 / 4000 / 5000K (Changeable)  
 CRI: >80  
 Beam Angel: 100°  
 Voltage: 220-240V  
 Lumens: 480-540LM  
 PF: >0.9  
 Triac Dimmable: YES  
 Dimmable Range: 10-100%

Insulation Rating: IC-4  
 IP Rating: IP44  
 Warranty: 3 years  
 LED Rating: 50,000hours  
 Colour: White  
 Cut-Out:  $\Phi$ 70-75mm  
 Product Size:  $\Phi$ 85(W) x 55(H)mm

Includes: Driver, 0.6m Cord and Plug

**\$10.95**

**\$104.02** Box 10

**\$202.57** Box 20

**\$394.20** Box 40



## LED Down Light - White, 90mm Cut, 108mm Dia, Dimmable, TRI CCT, PB - 9W

Model: RAV9SDCO31(D)-TRI  
 Power: 9W  
 Chip Brand: Epistar SMD  
 CCT: 3000 / 4000 / 5000K (Changeable)  
 CRI: >80  
 Beam Angel: 100°  
 Voltage: 220-240V  
 Lumens: 750-850LM  
 PF: >0.9  
 Triac Dimmable: YES  
 Dimmable Range: 10-100%  
 Cable Inlet Size: 0.75-2.5mm<sup>2</sup>  
 Face Plate Colour: White

Insulation Rating: IC-4  
 IP Rating: IP44  
 Warranty: 3 years  
 LED Rating: 50,000hours  
 Colour: White  
 Cut-Out:  $\Phi$ 90mm  
 Product Size:  $\Phi$ 108(W) x 67(H)mm

Includes: Driver

**\$12.50**

**\$118.75** Box 10

**\$231.25** Box 20

**\$540.00** Box 48



**LED Down Light - White, 90mm Cut, 110mm Dia, Dimmable, 4000K, MB - 12W**

Model: B0103-01-3F W-12W-4000K  
 Power: 12W  
 Product Size:  $\phi 110(W) \times 45(H)$ mm  
 Cut-Out:  $\phi 90$ mm  
 Chip Brand: Epistar SMD  
 CCT: 4000K  
 CRI:  $\geq 80$   
 Beam Angel: 120°  
 Voltage: 200-240V  
 Lumens: 85-102LM/W  
 PF:  $\geq 0.95$   
 Warranty: 5 years

Triac Dimmable: YES  
 Colour: White over Metal Base  
 IP Rating: IP21  
 Rating: IC-F  
 LED Rating: 50,000hours

Includes: Driver

**\$19.95**

\$189.53 Box 10

\$359.10 Box 20



**LED Down Light - Nickel, 90mm Cut, 108mm Dia, Dimmable, TRI CCT, PB - 9W**

Model: RAV9SDCO31(D)-TRI-NS  
 Power: 9W  
 Chip Brand: Epistar SMD  
 CCT: 3000 / 4000 / 5000K (Changeable)  
 CRI:  $> 80$   
 Beam Angel: 100°  
 Voltage: 220-240V  
 Lumens: 750-850LM  
 PF:  $> 0.9$   
 Triac Dimmable: YES  
 Dimmable Range: 10-100%  
 Cable Inlet Size: 0.75-2.5mm<sup>2</sup>  
 Face Plate Colour: Nickel

Insulation Rating: IC-4  
 IP Rating: IP44  
 Warranty: 3 years  
 LED Rating: 50,000hours  
 Cut-Out:  $\phi 90$ mm  
 Product Size:  $\phi 108(W) \times 67(H)$ mm

Includes: Driver

**\$14.95**

\$142.02 Box 10

\$276.57 Box 20

\$645.84 Box 48



**LED Down Light - Nickel, 90mm Cut, 110mm Dia, Dimmable, 3000K, MB - 12W**

Model: B0103-01-3F N-12W-3000K  
 Power: 12W  
 Product Size:  $\phi 110(W) \times 45(H)$ mm  
 Cut-Out:  $\phi 90$ mm  
 Chip Brand: Epistar SMD  
 CCT: 3000K  
 CRI:  $\geq 80$   
 Beam Angel: 120°  
 Voltage: 200-240V  
 Lumens: 85-102LM/W  
 PF:  $\geq 0.95$   
 Warranty: 5 years

Triac Dimmable: YES  
 Colour: Nickel Plated over Metal Base  
 IP Rating: IP21  
 Rating: IC-Fqa  
 LED Rating: 50,000hours

Includes: Driver

**\$21.95**

\$208.53 Box 10

\$395.10 Box 20



## LED Down Light - Nickel, 90mm Cut, 110mm Dia, Dimmable, 4000K, MB - 12W

Model: B0103-01-3F N-12W-4000K  
 Power: 12W  
 Product Size:  $\Phi 110(W) \times 45(H)$ mm  
 Cut-Out:  $\Phi 90$ mm  
 Chip Brand: Epistar SMD  
 CCT: 4000K  
 CRI:  $\geq 80$   
 Beam Angel: 120°  
 Voltage: 200-240V  
 Lumens: 85-102LM/W  
 PF:  $\geq 0.95$   
 Warranty: 5 years

Triac Dimmable: YES  
 Colour: Nickel Plated over Metal Base  
 IP Rating: IP21  
 Rating: IC-F  
 LED Rating: 50,000hours

Includes: Driver

**\$21.95**

**\$208.53 Box 10**

**\$395.10 Box 20**



## LED Down Light - Black, 90mm Cut, 108mm Dia, Dimmable, TRI CCT, PB - 9W

Model: RAV9SDCO31(D)-TRI-BS  
 Power: 9W  
 Chip Brand: Epistar SMD  
 CCT: 3000 / 4000 / 5000K (Changeable)  
 CRI:  $> 80$   
 Beam Angel: 100°  
 Voltage: 220-240V  
 Lumens: 750-850LM  
 PF:  $> 0.9$   
 Triac Dimmable: YES  
 Dimmable Range: 10-100%  
 Cable Inlet Size: 0.75-2.5mm<sup>2</sup>  
 Face Plate Colour: Black

Insulation Rating: IC-4  
 IP Rating: IP44  
 Warranty: 3 years  
 LED Rating: 50,000hours  
 Cut-Out:  $\Phi 110$ mm  
 Product Size:  $\Phi 120(W) \times 68(H)$ mm

Includes: Driver

**\$14.95**

**\$142.02 Box 10**

**\$276.57 Box 20**

**\$645.84 Box 48**



## LED Down Light - White, 90mm Cut, 108mm Dia, Dimmable, TRI CCT, PCPB - 9W

Model: RAV9SDCO31(D)-TRI-PC  
 Power: 9W  
 Chip Brand: Epistar SMD  
 CCT: 3000 / 4000 / 5000K (Changeable)  
 CRI:  $> 80$   
 Beam Angel: 100°  
 Voltage: 220-240V  
 Lumens: 750-850LM  
 PF:  $> 0.9$   
 Triac Dimmable: YES  
 Dimmable Range: 10-100%  
 Face Plate Colour: White

Insulation Rating: IC-4  
 IP Rating: IP44  
 Warranty: 3 years  
 LED Rating: 50,000hours  
 Colour: White  
 Cut-Out:  $\Phi 90$ mm  
 Product Size:  $\Phi 108(W) \times 67(H)$ mm

Includes: Driver, 0.6m Cord and Plug

**\$13.50**

**\$128.25 Box 10**

**\$249.75 Box 20**

**\$583.20 Box 48**



**LED Down Light - White, 90mm Cut, 110mm Dia, Dimmable, 3000K, PCMB - 12W**

Model: B0103-01-3F W-12W-3000K-PC  
 Power: 12W  
 Product Size:  $\phi 110(W) \times 45(H)$ mm  
 Cut-Out:  $\phi 90$ mm  
 Chip Brand: Epistar SMD  
 CCT: 3000K  
 CRI:  $\geq 80$   
 Beam Angel:  $120^\circ$   
 Voltage: 200-240V  
 Lumens: 85-102LM/W  
 PF:  $\geq 0.95$   
 Warranty: 5 years

Triac Dimmable: YES  
 Colour: White over Metal Base  
 IP Rating: IP21  
 Rating: IC-F  
 LED Rating: 50,000hours

Includes: Driver, 0.6m Cord and Plug

**\$20.95**

**\$199.03 Box 10**  
**\$377.10 Box 20**



**LED Down Light - White, 90mm Cut, 110mm Dia, Dimmable, 4000K, PCMB - 12W**

Model: B0103-01-3F W-12W-4000K-PC  
 Power: 12W  
 Product Size:  $\phi 110(W) \times 45(H)$ mm  
 Cut-Out:  $\phi 90$ mm  
 Chip Brand: Epistar SMD  
 CCT: 4000K  
 CRI:  $\geq 80$   
 Beam Angel:  $120^\circ$   
 Voltage: 200-240V  
 Lumens: 85-102LM/W  
 PF:  $\geq 0.95$   
 Warranty: 5 years

Triac Dimmable: YES  
 Colour: White over Metal Base  
 IP Rating: IP21  
 Rating: IC-F  
 LED Rating: 50,000hours

Includes: Driver, 0.6m Cord and Plug

**\$20.95**

**\$199.03 Box 10**  
**\$377.10 Box 20**



**LED Down Light - Nickel, 90mm Cut, 108mm Dia, Dimmable, TRI CCT, PCPB - 9W**

Model: RAV9SDCO31(D)-TRI-NS-PC  
 Power: 9W  
 Chip Brand: Epistar SMD  
 CCT: 3000 / 4000 / 5000K (Changeable)  
 CRI:  $> 80$   
 Beam Angel:  $100^\circ$   
 Voltage: 220-240V  
 Lumens: 750-850LM  
 PF:  $> 0.9$   
 Triac Dimmable: YES  
 Dimmable Range: 10-100%  
 Face Plate Colour: Nickel

Insulation Rating: IC-4  
 IP Rating: IP44  
 Warranty: 3 years  
 LED Rating: 50,000hours  
 Cut-Out:  $\phi 90$ mm  
 Product Size:  $\phi 108(W) \times 67(H)$ mm

Includes: Driver, 0.6m Cord and Plug

**\$17.95**

**\$170.52 Box 10**  
**\$332.07 Box 20**  
**\$775.44 Box 48**



## LED Down Light - Nickel, 90mm Cut, 110mm Dia, Dimmable, 3000K, PCMB - 12W

Model: B0103-01-3F N-12W-3000K-PC  
 Power: 12W  
 Product Size:  $\Phi 110(W) \times 45(H)$ mm  
 Cut-Out:  $\Phi 90$ mm  
 Chip Brand: Epistar SMD  
 CCT: 3000K  
 CRI:  $\geq 80$   
 Beam Angel: 120°  
 Voltage: 200-240V  
 Lumens: 85-102LM/W  
 PF:  $\geq 0.95$   
 Warranty: 5 years

Triac Dimmable: YES  
 Colour: Nickel Plated over Metal Base  
 IP Rating: IP21  
 Rating: IC-F  
 LED Rating: 50,000hours

Includes: Driver, 0.6m Cord and Plug

**\$22.95**

**\$218.03 Box 10**

**\$413.10 Box 20**



## LED Down Light - Nickel, 90mm Cut, 110mm Dia, Dimmable, 4000K, PCMB - 12W

Model: B0103-01-3F N-12W-4000K-PC  
 Power: 12W  
 Product Size:  $\Phi 110(W) \times 45(H)$ mm  
 Cut-Out:  $\Phi 90$ mm  
 Chip Brand: Epistar SMD  
 CCT: 4000K  
 CRI:  $\geq 80$   
 Beam Angel: 120°  
 Voltage: 200-240V  
 Lumens: 85-102LM/W  
 PF:  $\geq 0.95$   
 Warranty: 5 years


Triac Dimmable: YES  
 Colour: Nickel Plated over Metal Base  
 IP Rating: IP21  
 Rating: IC-F  
 LED Rating: 50,000hours

Includes: Driver, 0.6m Cord and Plug

**\$22.95**

**\$218.03 Box 10**

**\$413.10 Box 20**



## LED Down Light - Black, 90mm Cut, 108mm Dia, Dimmable, TRI CCT, PCPB - 9W

Model: RAV9SDCO31(D)-TRI-BS-PC  
 Power: 9W  
 Chip Brand: Epistar SMD  
 CCT: 3000 / 4000 / 5000K (Changeable)  
 CRI:  $> 80$   
 Beam Angel: 100°  
 Voltage: 220-240V  
 Lumens: 750-850LM  
 PF:  $> 0.9$   
 Triac Dimmable: YES  
 Dimmable Range: 10-100%  
 Face Plate Colour: Black

Insulation Rating: IC-4  
 IP Rating: IP44  
 Warranty: 3 years  
 LED Rating: 50,000hours  
 Cut-Out:  $\Phi 90$ mm

Product Size:  $\Phi 108(W) \times 67(H)$ mm

Includes: Driver, 0.6m Cord and Plug

**\$17.95**

**\$170.52 Box 10**

**\$332.07 Box 20**

**\$775.44 Box 48**





**LED Down Light - White, 110mm Cut,  
140mm Dia, Dimmable, TRI CCT, PB - 10W**

Model: RAV10SDM41-TRI  
 Power: 10W  
 Chip Brand: Epistar SMD  
 CCT: 3000 / 4000 / 5000K (Changeable)  
 CRI: >80  
 Beam Angel: 100°  
 Voltage: 220-240V  
 Lumens: 750-850LM  
 PF: >0.9  
 Triac Dimmable: YES  
 Dimmable Range: 10-100%  
 Cable Inlet Size: 0.75-2.5mm<sup>2</sup>  
 Face Plate Colour: White

Insulation Rating: IC-4  
 IP Rating: IP44  
 Warranty: 3 years  
 LED Rating: 50,000hours  
 Colour: White  
 Cut-Out:  $\phi$ 110mm  
 Product Size:  $\phi$ 140(W) x 68(H)mm

Includes: Driver

**\$16.50**  
 \$156.75 Box 10  
 \$305.25 Box 20  
 \$445.50 Box 30



**LED Down Light - Nickel, 110mm Cut,  
140mm Dia, Dimmable, TRI CCT, PB - 10W**

Model: RAV10SDM41-TRI-NS  
 Power: 10W  
 Chip Brand: Epistar SMD  
 CCT: 3000 / 4000 / 5000K (Changeable)  
 CRI: >80  
 Beam Angel: 100°  
 Voltage: 220-240V  
 Lumens: 750-850LM  
 PF: >0.9  
 Triac Dimmable: YES  
 Dimmable Range: 10-100%  
 Cable Inlet Size: 0.75-2.5mm<sup>2</sup>  
 Face Plate Colour: Nickel

Insulation Rating: IC-4  
 IP Rating: IP44  
 Warranty: 3 years  
 LED Rating: 50,000hours  
 Cut-Out:  $\phi$ 110mm  
 Product Size:  $\phi$ 140(W) x 68(H)mm

Includes: Driver

**\$19.95**  
 \$189.52 Box 10  
 \$369.07 Box 20  
 \$538.65 Box 30



**LED Down Light - Black, 110mm Cut,  
140mm Dia, Dimmable, TRI CCT, PB - 10W**

Model: RAV10SDM41-TRI-BS  
 Power: 10W  
 Chip Brand: Epistar SMD  
 CCT: 3000 / 4000 / 5000K (Changeable)  
 CRI: >80  
 Beam Angel: 100°  
 Voltage: 220-240V  
 Lumens: 750-850LM  
 PF: >0.9  
 Triac Dimmable: YES  
 Dimmable Range: 10-100%  
 Cable Inlet Size: 0.75-2.5mm<sup>2</sup>  
 Face Plate Colour: Black

Insulation Rating: IC-4  
 IP Rating: IP44  
 Warranty: 3 years  
 LED Rating: 50,000hours  
 Cut-Out:  $\phi$ 110mm  
 Product Size:  $\phi$ 140(W) x 68(H)mm

Includes: Driver

**\$19.95**  
 \$189.52 Box 10  
 \$369.07 Box 20  
 \$538.65 Box 30



## LED Down Light - White, 110mm Cut, 140mm Dia, Dimmable, TRI CCT, PCPB - 10W

Model: RAV10SDM41-TRI-PC  
 Power: 10W  
 Chip Brand: Epistar SMD  
 CCT: 3000 / 4000 / 5000K (Changeable)  
 CRI: >80  
 Beam Angel: 100°  
 Voltage: 220-240V  
 Lumens: 750-850LM  
 PF: >0.9  
 Triac Dimmable: YES  
 Dimmable Range: 10-100%

Insulation Rating: IC-4  
 IP Rating: IP44  
 Warranty: 3 years  
 LED Rating: 50,000hours100mm  
 Colour: White  
 Cut-Out:  $\phi$ 110mm  
 Product Size:  $\phi$ 140(W) x 68(H)mm

Includes: Driver, 0.6m Cord and Plug

**\$17.95**

**\$170.50** Box 10

**\$332.10** Box 20

**\$484.65** Box 30



## LED Down Light - Nickel, 110mm Cut, 140mm Dia, Dimmable, TRI CCT, PCPB - 10W

Model: RAV10SDM41-TRI-NS-PC  
 Power: 10W  
 Chip Brand: Epistar SMD  
 CCT: 3000 / 4000 / 5000K (Changeable)  
 CRI: >80  
 Beam Angel: 100°  
 Voltage: 220-240V  
 Lumens: 750-850LM  
 PF: >0.9  
 Triac Dimmable: YES  
 Dimmable Range: 10-100%  
 Face Plate Colour: Nickel

Insulation Rating: IC-4  
 IP Rating: IP44  
 Warranty: 3 years  
 LED Rating: 50,000hours  
 Cut-Out:  $\phi$ 110mm  
 Product Size:  $\phi$ 140(W) x 68(H)mm

Includes: Driver, 0.6m Cord and Plug

**\$21.45**

**\$203.77** Box 10

**\$396.82** Box 20

**\$579.15** Box 30



## LED Down Light - Black, 110mm Cut, 140mm Dia, Dimmable, TRI CCT, PCPB - 10W

Model: RAV10SDM41-TRI-BS-PC  
 Power: 10W  
 Chip Brand: Epistar SMD  
 CCT: 3000 / 4000 / 5000K (Changeable)  
 CRI: >80  
 Beam Angel: 100°  
 Voltage: 220-240V  
 Lumens: 750-850LM  
 PF: >0.9  
 Triac Dimmable: YES  
 Dimmable Range: 10-100%  
 Face Plate Colour: Black

Insulation Rating: IC-4  
 IP Rating: IP44  
 Warranty: 3 years  
 LED Rating: 50,000hours  
 Cut-Out:  $\phi$ 110mm  
 Product Size:  $\phi$ 140(W) x 68(H)mm

Includes: Driver, 0.6m Cord and Plug

**\$21.45**

**\$203.77** Box 10

**\$396.82** Box 20

**\$579.15** Box 30





**LED High Bay Light - Black, 5000K, PCMB - 100W**

Model: SL-HBC02-YD126K100-PC  
Power: 100W  
Chip Brand: Philips  
CCT: 5000K  
CRI:  $\geq 70/80$   
Beam Angel: 120°  
Voltage: 230V  
Lumens: 16000LM  
PF:  $\geq 0.95$   
Warranty: 5 years  
Material: Metal  
Colour: Black  
Includes: Driver  
Optional: Hanging Chain—1.5m (Model: SL-HBC02-YD CHAIN)

**\$119.00**

\$565.25 Box 5  
\$1,100.75 Box 10



**LED High Bay Light - Black, 5000K, PCMB - 150W**

Model: SL-HBC02-YD368K150-PC  
Power: 150W  
Chip Brand: Philips  
CCT: 5000K  
CRI:  $\geq 70/80$   
Beam Angel: 120°  
Voltage: 230V  
Lumens: 24000LM  
PF:  $\geq 0.95$   
Warranty: 5 years  
Material: Metal  
Colour: Black  
Includes: Driver  
Optional: Hanging Chain—1.5m (Model: SL-HBC02-YD CHAIN)

**\$149.00**

\$707.75 Box 5  
\$1,378.25 Box 10




**LED High Bay Light - Black, 5000K, PCMB - 200W**

Model: SL-HBC02-YD432K200-PC  
Power: 200W  
Chip Brand: Philips  
CCT: 5000K  
CRI:  $\geq 70/80$   
Beam Angel: 120°  
Voltage: 230V  
Lumens: 32000LM  
PF:  $\geq 0.95$   
Warranty: 5 years  
Material: Metal  
Colour: Black  
Includes: Driver  
Optional: Hanging Chain—1.5m (Model: SL-HBC02-YD CHAIN)

**\$179.00**

\$850.00 Box 5  
\$1,655.75 Box 10



## LED High Bay Light - Hanging Chain - 1.5m

**\$8.95**

Model: SL-HBC02-YD CHAIN  
 Length: 1.5M (adjustable)  
 1 length (Light not included)  
 Includes: Chain, 2 x carabineers and screw eye hook

Clips to existing eye bracket and allows for high-bay lights to be suspended from the ceiling.

Suitable for JAJ High Bay Lights



## LED Batten Light - White, Slim, Tri CCT, PB - 40W

**\$49.00**

**\$465.50 Box 10**

**\$882.00 Box 20**

Model: B0504-01-3F-40W-TRI  
 Power: 40W  
 Product Size: 1200(W) x 73(W) x 26(H)mm  
 Chip Brand: Epistar SMD  
 CCT: 3000/4000/5500K  
 CRI: ≥80  
 Beam Angel: 120°  
 Voltage: 200-240V  
 Lumens: 3400LM  
 PF: ≥0.95  
 Warranty: 5 years

Triac Dimmable: NO  
 Colour: White over Heat Conducted PA  
 IP Rating: IP21  
 Rating: IC-F  
 LED Rating: 50,000hours

Includes: Driver



## LED Batten Light - White, Slim, Tri CCT, PCPB - 40W

**\$52.00**

**\$494.00 Box 10**

**\$936.00 Box 20**

Model: B0504-01-3F-40W-TRI-PC  
 Power: 40W  
 Product Size: 1200(L) x 73(W) x 26(H)mm  
 Chip Brand: Epistar SMD  
 CCT: 3000/4000/5500K  
 CRI: ≥80  
 Beam Angel: 120°  
 Voltage: 200-240V  
 Lumens: 3400LM  
 PF: ≥0.95  
 Warranty: 5 years

Triac Dimmable: NO  
 Colour: White over Heat Conducted PA  
 IP Rating: IP21  
 Rating: IC-F  
 LED Rating: 50,000hours

Includes: Driver, 1.2m Cord and Plug



**LED Batten Light - White, Slim, Tri CCT, PB - 60W**

Model: SL-L3L-CDT378L60-TRI  
Power: 60W  
Product Size: 1490(W) x 80(W) x 36(H)  
mm  
Chip Brand: Epistar SMD  
CCT: 3000/4000/5000K  
CRI: ≥80  
Beam Angel: 120°  
Voltage: 200-240V  
Lumens: 6000LM  
PF: ≥0.93  
Warranty: 3 years

Colour: White  
IP Rating: IP42  
LED Rating: 50,000hours  
Housing: Aluminium  
Includes: Driver

**\$69.00**

**\$655.50 Box 10**  
**\$1,276.50 Box 20**



**LED Batten Light - White, Slim, Tri CCT, PCPB - 60W**

Model: SL-L3L-CDT378L60-TRI-PC  
Power: 60W  
Product Size: 1490(W) x 80(W) x 36(H)  
mm  
Chip Brand: Epistar SMD  
CCT: 3000/4000/5000K  
CRI: ≥80  
Beam Angel: 120°  
Voltage: 200-240V  
Lumens: 6000LM  
PF: ≥0.93  
Warranty: 3 years

Colour: White  
IP Rating: IP42  
LED Rating: 50,000hours  
Housing: Aluminium  
Includes: Driver, 1.2m Cord and Plug

**\$73.00**

**\$693.50 Box 10**  
**\$1,350.50 Box 20**



**LED Batten Light - White, 5000K, IP65 - 40W**

Model: EVB-LD-40W-0000065A  
Power: 40W  
Product Size: 1180(L) x 69(W) x 53(H)mm  
Chip Brand: Epistar SMD  
CCT: 5000K  
CRI: ≥80  
Beam Angel: 125°  
Voltage: 180-240V  
Lumens: 4400LM  
PF: ≥0.90  
Warranty: 3 years

Colour: White  
IP Rating: IP65  
LED Rating: >35,000hours  
Housing: Plastic  
Temp: -20 to 45deg C  
Impact Resistance: IK08  
Includes: Driver

**\$36.95**

**\$351.03 Box 10**  
**\$665.10 Box 20**



## LED Batten Light - Hanging Cable - 1.2m

Model: Batten-Hanging-Cable-1.2M

Length: 1.2M

1 Set: 2pcs (Light not included)

Clips to existing mounting brackets and allows for batten lights to be suspended from the ceiling.

Suitable for JAJ Batten Lights

**\$5.95**

\$56.53 Box 10

\$107.10 Box 20



## LED Surface Down Light - White, 91mm Dia, Dimmable, TRI CCT, MB - 15W

Model: AS-SM151TAC-A-W-TRI

Power: 15W

Product Size: 94(L) x 94(W) x 103(H)mm

Mounting Plate Size: 94(W)mm

CCT: 3000/4000/6000K

CRI: ≥90

Beam Angel: 60°

Voltage: 100-240V

Lumens: 1300LM

PF: ≥0.90

Warranty: 5 years

Triac Dimmable: No

Colour: White

IP Rating: IP54

LED Type: COB

LED Rating: 50,000hours

Housing: Aluminium

Includes: Driver

**\$59.95**

\$569.53 Box 10

\$1,079.10 Box 20



## LED Surface Down Light - Black, 91mm Dia, Dimmable, TRI CCT, MB - 15W

Model: AS-SM151TAC-A-BK-TRI

Power: 15W

Product Size: 94(L) x 94(W) x 103(H)mm

Mounting Plate Size: 94(W)mm

CCT: 3000/4000/6000K

CRI: ≥90

Beam Angel: 60°

Voltage: 100-240V

Lumens: 1300LM

PF: ≥0.90

Warranty: 5 years

Triac Dimmable: No

Colour: Black

IP Rating: IP54

LED Type: COB

LED Rating: 50,000hours

Housing: Aluminium

Includes: Driver

**\$59.95**

\$569.53 Box 10

\$1,079.10 Box 20



**LED Surface Down Light - White, 110mm Dia, Dimmable, TRI CCT, MB - 20W**

Model: AS-SM201TAC-A-W-TRI  
Power: 20W  
Product Size: 110(L) x 110(W) x 115(H) mm  
Mounting Plate Size: 110(W)mm  
CCT: 3000/4000/6000K  
CRI:  $\geq 90$   
Beam Angel: 60°  
Voltage: 100-240V  
Lumens: 1700LM  
PF:  $\geq 0.90$   
Warranty: 5 years  
Triac Dimmable: No

Colour: White  
IP Rating: IP54  
LED Type: COB  
LED Rating: 50,000hours  
Housing: Aluminium  
  
Includes: Driver

**\$72.95**  
\$693.03 Box 10  
\$1,313.10 Box 20



**LED Surface Down Light - Black, 110mm Dia, Dimmable, TRI CCT, MB - 20W**

Model: AS-SM201TAC-A-BK-TRI  
Power: 20W  
Product Size: 110(L) x 110(W) x 115(H)mm  
Mounting Plate Size: 110(W)mm  
CCT: 3000/4000/6000K  
CRI:  $\geq 90$   
Beam Angel: 60°  
Voltage: 100-240V  
Lumens: 1700LM  
PF:  $\geq 0.90$   
Warranty: 5 years  
Triac Dimmable: No

Colour: Black  
IP Rating: IP54  
LED Type: COB  
LED Rating: 50,000hours  
Housing: Aluminium  
  
Includes: Driver

**\$72.95**  
\$693.03 Box 10  
\$1,313.10 Box 20



**LED Surface Down Light - White, 130mm Dia, Dimmable, TRI CCT, MB - 30W**

Model: AS-SM301TAC-A-W-TRI  
Power: 30W  
Product Size: 115(L) x 115(W) x 130(H) mm  
Mounting Plate Size: 115(W)mm  
CCT: 3000/4000/6000K  
CRI:  $\geq 90$   
Beam Angel: 60°  
Voltage: 100-240V  
Lumens: 2400LM  
PF:  $\geq 0.90$   
Warranty: 5 years  
Triac Dimmable: No

Colour: White  
IP Rating: IP54  
LED Type: COB  
LED Rating: 50,000hours  
Housing: Aluminium  
  
Includes: Driver

**\$99.95**  
\$949.53 Box 10  
\$1,799.10 Box 20





## LED Surface Down Light - Black, 130mm Dia, Dimmable, TRI CCT, MB - 30W

Model: AS-SM301TAC-A-BK-TRI  
 Power: 30W  
 Product Size: 115(L) x 115(W) x 130(H) mm  
 Mounting Plate Size: 115(W)mm  
 CCT: 3000/4000/6000K  
 CRI: ≥90  
 Beam Angel: 60°  
 Voltage: 100-240V  
 Lumens: 2400LM  
 PF: ≥0.90  
 Warranty: 5 years  
 Triac Dimmable: No

Colour: Black  
 IP Rating: IP54  
 LED Type: COB  
 LED Rating: 50,000hours  
 Housing: Aluminium

Includes: Driver

**\$99.95**

**\$949.53 Box 10**  
**\$1,799.10 Box 20**



## LED Security Light - Single - 13W

Model: GN-BD01-13  
 Power: 13W  
 Product Size: 108(L) x 180(W) x 170(H) mm  
 Mounting Plate Size: 108(W)mm  
 CCT: 4000K  
 CRI: ≥80  
 Beam Angel: 180°  
 Voltage: 100-240V  
 Lumens: 1050LM  
 PF: ≥0.90  
 Warranty: 3 years

Colour: Black  
 IP Rating: IP54  
 LED Rating: 40,000hours  
 Housing: Aluminium & Plastic

Includes: Driver

**\$43.95**

**\$417.52 Box 10**  
**\$813.07 Box 20**



## LED Security Light - Double - 26W

Model: GN-BD01-26  
 Power: 26W (13W x 2)  
 Product Size: 280(L) x 180(W) x 130(H) mm  
 Mounting Plate Size: 108(W)mm  
 CCT: 4000K  
 CRI: ≥80  
 Beam Angel: 180°  
 Voltage: 100-240V  
 Lumens: 2100LM  
 PF: ≥0.90  
 Warranty: 3 years

Colour: Black  
 IP Rating: IP54  
 LED Rating: 40,000hours  
 Housing: Aluminium & Plastic

Includes: Driver

**\$52.95**

**\$503.02 Box 10**  
**\$979.57 Box 20**

**LED Security Light - Double with Sensor - 26W**

Model: GN-BD01-26S  
 Power: 26W (13W x 2)  
 Product Size: 280(L) x 180(W) x 130(H)mm  
 Mounting Plate Size: 108(W)mm  
 CCT: 4000K  
 CRI: ≥80  
 Beam Angel: 180°  
 Voltage: 100-240V  
 Lumens: 2100LM  
 PF: ≥0.90  
 Warranty: 3 years

Colour: Black  
 IP Rating: IP54  
 LED Rating: 40,000hours  
 Housing: Aluminium & Plastic  
 PIR Range: 10m  
 Time, day/ night, and sensitivity adjustment.

Includes: Driver

**\$59.95**

**\$569.52 Box 10**  
**\$1109.07 Box 20**



**LED Flood Light - Black, Slim, 5000K, PCMB - 30W, IP66**

Model: SL-FL-YWT60G30-PC  
 Power: 30W  
 Product Size: 159(L) x 120(W) x 31(H)mm  
 Chip Brand: Epistar  
 CCT: 5000K  
 CRI: ≥80  
 Beam Angel: 120°  
 Voltage: 200-240V  
 Lumens: 3300LM  
 PF: ≥0.90  
 Warranty: 3 years  
 Triac Dimmable: No

Colour: Black  
 IP Rating: IP66  
 LED Rating: 50,000hours  
 Housing: Aluminium  
 Motion Sensor: No

Includes: Driver, 1.2m Cord and Plug

**\$29.95**

**\$284.53 Box 10**  
**\$554.08 Box 20**



**LED Flood Light - Black, Slim, with Sensor, 5000K, PCMB - 30W, IP66**

Model: SL-FL-YWT60G30-S-PC  
 Power: 30W  
 Product Size: 159(L) x 120(W) x 31(H)mm  
 Chip Brand: Epistar  
 CCT: 5000K  
 CRI: ≥80  
 Beam Angel: 120°  
 Voltage: 200-240V  
 Lumens: 3300LM  
 PF: ≥0.90  
 Warranty: 3 years  
 Triac Dimmable: No

Colour: Black  
 IP Rating: IP66  
 LED Rating: 50,000hours  
 Housing: Aluminium  
 Motion Sensor: Yes  
 PIR Range: 10m  
 Time, day/ night, and sensitivity adjustment.

Includes: Driver, 1.2m Cord and Plug

**\$43.95**

**\$417.53 Box 10**  
**\$813.08 Box 20**





## LED Flood Light - Black, Slim, 5000K, PCMB - 50W, IP66

Model: SL-FL-YWT100G50-PC  
 Power: 50W  
 Product Size: 205(L) x 160(W) x 33(H)mm  
 Chip Brand: Epistar  
 CCT: 5000K  
 CRI: ≥80  
 Beam Angel: 120°  
 Voltage: 200-240V  
 Lumens: 5500LM  
 PF: ≥0.90  
 Warranty: 3 years  
 Triac Dimmable: No

Colour: Black  
 IP Rating: IP66  
 LED Rating: 50,000hours  
 Motion Sensor: No  
 Housing: Aluminium

Includes: Driver, 1.2m Cord and Plug

**\$34.95**

\$332.03 Box 10

\$646.58 Box 20



## LED Flood Light - Black, Slim, with Sensor, 5000K, PCMB - 50W, IP66

Model: SL-FL-YWT100G50-S-PC  
 Power: 50W  
 Product Size: 205(L) x 160(W) x 33(H)mm  
 Chip Brand: Epistar  
 CCT: 5000K  
 CRI: ≥80  
 Beam Angel: 120°  
 Voltage: 200-240V  
 Lumens: 5500LM  
 PF: ≥0.90  
 Warranty: 3 years  
 Triac Dimmable: No

Colour: Black  
 IP Rating: IP66  
 LED Rating: 50,000hours  
 Housing: Aluminium  
 Motion Sensor: Yes  
 PIR Range: 10m  
 Time, day/ night, and sensitivity  
 adjustment.

Includes: Driver, 1.2m Cord and Plug

**\$49.95**

\$474.53 Box 10

\$924.08 Box 20



## LED Flood Light - Black, Slim, 5000K, PCMB - 100W, IP66

Model: SL-FL-YWT200G100-PC  
 Power: 100W  
 Product Size: 269(L) x 210(W) x 33(H)mm  
 Chip Brand: Epistar  
 CCT: 5000K  
 CRI: ≥80  
 Beam Angel: 120°  
 Voltage: 200-240V  
 Lumens: 11000LM  
 PF: ≥0.90  
 Warranty: 3 years  
 Triac Dimmable: No

Colour: Black  
 IP Rating: IP66  
 LED Rating: 50,000hours  
 Motion Sensor: No  
 Housing: Aluminium

Includes: Driver, 1.2m Cord and Plug

**\$59.95**

\$569.53 Box 10

\$1,109.08 Box 20

**LED Flood Light - Black, Slim, with Sensor,  
5000K, PCMB - 100W, IP66**

*Model: SL-FL-YWT200G100-S-PC*

*Power: 100W*

*Product Size: 269(L) x 210(W) x 33(H)mm*

*Chip Brand: Epistar*

*CCT: 5000K*

*CRI: ≥80*

*Beam Angel: 120°*

*Voltage: 200-240V*

*Lumens: 11000LM*

*PF: ≥0.90*

*Warranty: 3 years*

*Triac Dimmable: No*

*Colour: Black*

*IP Rating: IP66*

*LED Rating: 50,000hours*

*Housing: Aluminium*

*Motion Sensor: Yes*

*PIR Range: 10m*

*Time, day/ night, and sensitivity  
adjustment.*

*Includes: Driver, 1.2m Cord and Plug*

**\$74.95**

**\$712.03 Box 10**

**\$1,386.60 Box 20**





**B104-01-3F Nickel  
Surround - 110mm**

*Model: B0104-01-3F-NS-110mm  
Size: 110mm  
For Models: B0104-01-3F Models*

**\$2.50**

**\$23.75 Box 10  
\$45.00 Box 20**



**B104-01-3F Black  
Surround - 110mm**

*Model: B0104-01-3F-BS-110mm  
Size: 110mm  
For Models: B0104-01-3F Models*

**\$2.50**

**\$23.75 Box 10  
\$45.00 Box 20**



**B104-01-4F Nickel  
Surround - 140mm**

*Model: B0104-01-4F-NS-140mm  
Size: 140mm  
For Models: B0104-01-4F Models*

**\$3.50**

**\$33.25 Box 10  
\$63.00 Box 20**



**B104-01-4F Black  
Surround - 140mm**

*Model: B0104-01-4F-BS-140mm  
Size: 140mm  
For Models: B0104-01-4F Models*

**\$3.50**

**\$33.25 Box 10  
\$63.00 Box 20**







## CONTACT US

**Phone:**

(03) 313 1415

**Email:**

[Sales@GoodsDirect2U.co.nz](mailto:Sales@GoodsDirect2U.co.nz)

**Web:**

[www.GoodsDirect2U.co.nz](http://www.GoodsDirect2U.co.nz)

**Address:**

589 Mount Thomas Road, RD1,  
Fernside, New Zealand 7471

**Opening Hours:**

9am - 5pm Monday-Friday

10am - 12noon Saturday