



# Product Catalog



**Construction Equipment**



Prices effective  
**June 2023**  
Prices Include GST



## Green Concrete Saw - 250mm

**\$2,595.00**

Model: MFG10-4U  
 Engine: Honda GX160, U Series, EPA Approved  
 Power: 4.0kW, 5.5HP  
 Fuel Type: Petrol  
 Cutting Depth: 82.6mm (3.25")  
 Blade Diameter: 250mm (10")  
 Depth Adjustment: Handle Rotation  
 Weight NW: 50kg



## Green Concrete Blade - 250mm

**\$89.95**

Model: 10GC  
 Diameter: 250mm (10")  
 Arbor Size: 15.88mm



## Plate Compactor - 62kg

**\$1,475.00**

Model: MS60-4  
 Engine: Honda GX160  
 Engine Type: Air-Cooled, 4 cycle, single cylinder  
 Power: 4.0kW, 5HP  
 Fuel type: Petrol  
 Frequency: 5600vpm  
 Centrifugal Force: 10.5kN

Travel Speed: 40cm/s  
 Efficiency: 450m<sup>2</sup>/h  
 Plate Size : 50 x 36cm (20 x 14")  
 Size: 108 x 40 x 80cm (43 x 16 x 31")  
 Weight NW: 62kg

Note: Photo Includes Options

## MS60 Water Tank

Model: MS60 Water Tank

**\$75.00**



## MS60 Trolley Wheel

Model: MS60 Trolley Wheel

**\$79.00**



### MS60 Protective Frame

Model: MS60 Protective Frame

\$35.00



### MS60 Rubber Matt

Model: MS60 Rubber Matt

\$105.00



### Plate Compactor 83Kg

Model: MS90-4U  
Engine: Honda GX160  
Engine Type: Air-Cooled, 4 cycle, single cylinder  
Power: 4.0kW, 5.5HP  
Fuel type: Petrol  
Frequency: 5500vpm  
Centrifugal Force: 13.0kN  
Compaction Depth: 30cm (12")

Travel Speed: 40cm/s  
Efficiency: 660m<sup>2</sup>/h  
Plate Size : 53 x 50cm (21 x 20")  
Size: 110 x 83 x 50cm (43 x 33 x 20")  
Weight NW: 83kg

Note: Photo Includes Options

\$1,850.00



### MS90 Water Tank

Model: MS90 Water Tank

\$75.00



### MS90 Trolley Wheel

Model: MS90 Trolley Wheel

\$45.00



### Plate Compactor 93Kg

Model: MS100-4U  
Engine type: Honda GX160, U Series, EPA Approved  
Power: 4.0kW, 5.5HP  
Fuel type: Petrol  
Frequency: 7000vpm  
Centrifugal Force: 19.8kN  
Travel Speed: 45cm/s

Efficiency: 770m<sup>2</sup>/h  
Plate Size: 46 x 61cm (18 x 24")  
Size: 110 x 46 x 66cm  
Weight NW: 93kg

Note: Photo Includes Options

\$1,725.00

# ≡ Construction Equipment



## MS100 Protective Frame

Model: MS100 Protective Frame

**\$39.00**



## MS100 Lifting Hook

Model: MS100 Lifting Hook

**\$30.00**

## MS100 Water Tank

Model: MS100 Water Tank

**\$75.00**



## Plate Compacter - Reversible - 149Kg

Model: MSH160-4  
Engine type: Honda GX160, U Series,  
EPA Approved  
Displacement: 4.0kW, 5.5HP  
Fuel type: Petrol  
Frequency: 4000vpm  
Centrifugal Force: 30.5kN  
Compaction Depth: 50cm  
Travel Speed: 25 cm/s

Efficiency: 570m<sup>2</sup>/h  
Travel: Forward, On the Spot, Reverse  
Plate Size: 73 x 37cm (29 x 15"), With  
Plate Extension 73 x 50cm (29 x 20")  
Size: 86 x 57 x 93cm  
Weight NW: 149kg

Note: Photo Includes Options

**\$2,995.00**



## MS160 Trolley Wheel

Model: MSH160 Trolley Wheel

**\$60.00**

### Plate Compacter - Reversible - 355Kg

**\$5,495.00**



Model: MS330-1  
Engine: Kipor 186  
Power: 6.6kW, 9.0HP  
Starting: Electric Start  
Fuel Type: Diesel  
Frequency: 3750vpm  
Centrifugal Force: 38kN  
Compaction Depth: 90cm  
Travel Speed: 0-35 cm/s  
Efficiency: 650m<sup>2</sup>/h  
Travel: Forward, On the Spot, Reverse  
Plate Size: 89 x 67cm (35 x 26")  
Size: 178 x 67 x 90cm  
Weight NW: 355kg

Forward and Reverse, as well as on the spot compaction  
Easy to reach located controls  
Large shock mounts reduce vibration to handle  
Heavy-duty shock mounts reduce vibration to the upper deck  
Wear-resistant base plates extend life, open design reduces dirt build up  
Centrally-located lifting bar allows easy transportation in and out of trenches  
Semi covered protection cage protects the plate from accidental job-site damage  
Heavy duty industrial throttle control is available as standard  
Fully sealed battery cover for electric starter type

### Brick Saw - 125mm

**\$2,450.00**



Model: MB14P-4U  
Engine: Honda GX160, U Series, EPA Approved  
Power: 4.0kW, 5.5HP  
Fuel type: Petrol  
Cutting Depth: 125mm  
Length of Cut: 420mm  
Blade Diameter: 350mm  
Size: 96 x 45 x 73cm  
Weight NW: 114kg

MB14 is an ideal, long term, portable brick saw for pavers, bricks and tiles, with a fold-away stand suitable for all work site work. Powered by a Honda GX160 motor.

#### Features:

Cutting head supported by bearing allows the head to be positioned at any cutting depth  
Water hose connection is available as standard part  
Throttle control is available at an easy to reach location  
Handle grips offer comfortable operation  
Dual belt drive ensures reliable power transmission  
Wheeled for easy move to different working sites



## Power Trowel - Walk Behind - 910mm

**\$2,495.00**

Model: MT36-4U  
 Engine: Honda GX160 U type (EPA)  
 Engine Type: Air-Cooled, 4 cycle, Single Cylinder  
 Power: 4.0kW, 5.5HP  
 Fuel Type: Petrol  
 Rotor Diameter: 910mm (36")  
 Guard Diameter: 940mm (37")  
 Weight NW: 90kg  
 Included: One Set of Finishing Blades

Low maintenance and long life design. Ideal 36" diameter trowel for running pans, combination blades or finishing blades. Heavy type design.

### MT36 Finishing Blade - 152 x 356mm

Model: MT36 FB  
 Material: Spring Steel  
 Thickness: 2mm  
 Size: 152 x 356mm (6 x 14")  
 Quantity: 4

**\$49.00**

### MT36 Super Blue Finishing Blade - 152 x 356mm

Model: MT36 SBFB  
 Material: Spring Steel  
 Thickness: 2mm  
 Size: 152 x 356mm (6 x 14")  
 Quantity: 4

**\$69.00**

### MT36 Super Blue Combination Blade - 203 x 356mm

Model: MT36 SBCB  
 Material: Spring Steel  
 Thickness: 2mm  
 Size: 203 x 356mm (8 x 14")  
 Quantity: 4

**\$60.00**



### MT36 Pan - 940mm

Model: MT36 Pan  
 Material: Steel  
 Thickness: 3mm  
 Diameter: 940mm (37")

**\$99.00**

### MT36 Lifting Hook

**\$35.00**

Model: MT36 Lifting Hook





**Power Trowel - Walk Behind - 1170mm**

**\$3,995.00**

Model: MT46-4U  
Engine: Honda GX270, EPA Approved  
Engine Type: Air-Cooled, 4 Cycle, Single Cylinder  
Power: 6.6kW, 9.0HP  
Fuel type: Petrol  
Rotor Diameter: 1170mm (46")  
Guard Diameter: 1210mm (47.5")  
Weight NW: 132Kg  
Included: One Set of Finishing Blades

Low maintenance and long life design. Ideal 46" diameter trowel for running pans, combination blades or finishing blades. Heavy type design.

**MT46 Finishing Blade - 152 x 457mm**

Model: MT46 FB  
Material: Spring Steel  
Thickness: 2mm  
Size: 152 x 457mm (6 x 18")  
Quantity: 4

**\$65.00**

**MT46 Super Blue Finishing Blade - 152 x 457mm**

Model: MT46 SBFB  
Material: Spring Steel  
Thickness: 2mm  
Size: 152 x 457mm (6 x 18")  
Quantity: 4

**\$79.65**

**MT46 Super Blue Combination Blade - 203 x 457mm**

Model: MT46 SBCB  
Material: Spring Steel  
Thickness: 2mm  
Size: 203 x 457mm (8 x 18")  
Quantity: 4

**\$95.00**



**MT46 Pan - 1194mm**

Model: MT46 Pan  
Material: Steel  
Thickness: 3mm  
Diameter: 1194mm (47")

**\$165.00**



**MT46-4U Optional Lifting Hook**

**\$30.00**

Model: MT46-4U OLH



## Concrete Mixer - Mini - 125L

**\$499.00**

Model: MX15-1  
Power: 0.42kW, 0.57HP  
Mixed Batch Volume: 90L  
Drum Volume: 125L  
Size: 125 x 115 x 80cm  
Packaging Size: 85 x 72 x 43cm  
Weight NW: 66kg

*Designed for economy usage with quick and easy assembly*

### Features:

*Special casting gearing ring made in one piece  
Foldable frame for easy stock and transportation  
Solid frame for high stability  
Large 240mm diameter wheels for stability and maneuverability  
Large drum diameter for excellent mixing results  
Swivels and tilts 360 degrees for easy and complete discharge  
Driving shaft mounted on sealed bearings*



## Concrete Mixer - 350L

**\$3,495.00**

Model: MX90-4U  
Engine: Honda GX160, U Series,  
EPA Approved  
Power: 4.0kW, 5.5HP  
Mixed Batch Volume: 260L  
Drum Volume: 350L  
Size: 196 x 125 x 159cm  
Weight NW: 365kg

## MX90-4 Trolley Kit With Four Wheels

**\$285.00**

Model: MX90 Trolley Kit







### Surface Finishing Screed

**\$1,785.00**

Model: MCD-4U  
Engine: Honda GX35  
Power: 1.2kW, 1.6HP  
Fuel type: Petrol  
Weight NW: 12.7kg

### MCB-4 Screed Blade

Model: MCB-4 Screed Blade  
Length: 1.2m (4')  
Weight NW: 2.90kg

**\$125.00**

### MCB-6 Screed Blade

Model: MCB-6 Screed Blade  
Length: 1.8m (6')  
Weight NW: 4.36kg

**\$195.00**

### MCB-8 Screed Blade

Model: MCB-8 Screed Blade  
Length: 2.4m (8')  
Weight NW: 5.81kg

**\$265.00**

### MCB-10 Screed Blade

Model: MCB-10 Screed Blade  
Length: 3.0m (10')  
Weight NW: 7.27kg

**\$295.00**

### MCB-12 Screed Blade

Model: MCB-12 Screed Blade  
Length: 3.7m (12')  
Weight NW: 8.72kg

**\$359.00**

### MCB-14 Screed Blade

Model: MCB-14 Screed Blade  
Length: 4.3m (14')  
Weight NW: 10.16kg

**\$395.00**



## MCB-16 Screed Blade

**\$435.00**

*Model: MCB-16 Screed Blade Length:  
4.9m (16')  
Weight NW: 11.61kg*



## Portable Petrol Concrete Vibrator

**\$1,259.00**

*Model: MBG  
Engine: Honda GX35  
Power: 1.2kW, 1.6HP  
Fuel type: Petrol  
Frequency: 225Hz  
Frequency of Flexible Shaft: 3000-3600rpm*

*Powered by Honda 4 stroke petrol engine with comfortable backpack, MPG portable vibrator allows operators vibrating concrete around a site with an easy to use unit. No more need for electricity supply or separate drive unit*



## Vibrator Head - 32mm

**\$159.00**

*Model: MPG3215 Vibrator Head  
Length: 1.5 meter  
Diameter: 32mm  
Vibrator Amplitude: 1mm*



## Vibrator Head - 38mm

**\$179.00**

*Model: MPG3815 Vibrator Head  
Length: 1.5 meter  
Diameter: 38mm  
Vibrator Amplitude: 1.2mm*

### Concrete Saw - 16"

\$2,695.00



Model: MF16-4  
Engine: Honda GX390  
Engine Type: Air-Cooled, 4 cycle, Single Cylinder  
Power: 9.6kW, 13HP  
Fuel Type: Petrol  
Max. Cutting Depth: 14cm (5.5")  
Blade Size: 30-40cm (12-16")  
Depth Adjustable: Handle Rotation  
Driving: Manual Push  
Water Tank: 35L  
Dimensions: 155 x 60 x 95cm  
Weight NW: 144kg  
Blade Sold Separately

#### Features:

Super-rigid box frame ensures straight cuts  
Japanese Shaft bearings for long service life  
Ergonomically designed, height adjustable handles with comfortable grips  
Easy crank for raising / lowering cutting depth  
Hinged front, lift up blade guard for easy replacement  
Rustless water tank provides an optimum flow and volume of water to the blade  
Throttle control as standard part

### Concrete Saw Blade - 400mm

\$225.00



Model: 16GP  
Diameter: 400mm  
Centre Hole: 25.4mm  
Teeth: 24  
Standards: MPA-90605, UVV VGB49, ISO90001  
Rating: Professional



## **CONTACT US**

**Phone:** 03 313 1415

**Fax:** 03 313 1495

**Email:** [sales@GoodsDirect2U.co.nz](mailto:sales@GoodsDirect2U.co.nz)

**Web:** [www.GoodsDirect2U.co.nz](http://www.GoodsDirect2U.co.nz)

**Address:** 589 Mount Thomas Road,  
RD1,  
Fernside  
New Zealand

**Opening Hours:** 9am - 5:00pm Mon-Fri  
10am - 12am Sat.

---