



Product Catalog



***Push, Self Propelled and
Ride On Lawn Mowers***



Prices effective
September 2022
Prices Include GST



**Lawn Mower - 3 in 1, 60L,
139cc, 18"**

\$469.00

Model: TB46P01

Engine: 4 Stroke OHV, Single Cylinder with Forced Air-cooling system engine TB1P65F

Displacement: 139cc 2.7kW

Rated Speed: 2800rpm

Sound Power Level Lwa: 96B(A)

Starter Type: Pull

Fuel Tank Capacity: 1.5L

Oil Capacity: 0.6L

Operation: Mulch, Side Discharge and Catcher

Cutting Width: 460mm (18")

Cutting Height: 25-75mm

Height Adjustment: 7 Settings

Drive Type: Hand Push

Grass Catcher Capacity: 60L

Wheel: 178mm (7") Front, 254mm (10") Back with Rubber

Weight NW: 30.0kg

Includes:

Quick Connect Hose Connection for Deck Flush

Handle Ring for Easy Height Adjustment

Start / Stop Safety Bar

Front Lifting Handle

Hard Top Grass Catcher



**Lawn Mower - 3 in 1, 60L,
173cc, 21"**

\$545.00

Model: TB53P01

Engine: 4 Stroke OHV, Single Cylinder with Forced Air-cooling system engine TB1P70FA

Displacement: 173cc 3.6kW

Rated Speed: 2800rpm

Sound Power Level Lwa: 98dB(A)

Starter Type: Pull

Fuel Tank Capacity: 1.5L

Oil Capacity: 0.6L

Operation: Mulch, Side Discharge and Catcher

Cutting Width: 530mm (21")

Cutting Height: 25-75mm

Height Adjustment: 7 Settings

Drive Type: Hand Push

Grass Catcher Capacity: 60L

Wheel: 203mm (8") Front, 254mm (10") Back with Rubber

Weight NW: 33.0kg

Includes:

Drink Bottle Holder

Quick Connect Hose Connection for Deck Flush

Handle Ring for Easy Height Adjustment

Start / Stop Safety Bar

Front Lifting Handle

Hard Top Grass Catcher



**Lawn Mower - 4 in 1, 60L,
173cc, 21"**

\$595.00

Model: TB53S11

Engine: 4 Stroke OHV, Single Cylinder with Forced Air-cooling system engine TB1P70FA

Displacement: 173cc 3.6kW

Rated Speed: 2800rpm

Sound Power Level Lwa: 98dB(A)

Starter Type: Pull

Fuel Tank Capacity: 1.5L

Oil Capacity: 0.6L

Operation: Mulch, Side Discharge and Catcher

Cutting Width: 530mm (21")

Cutting Height: 25-75mm

Height Adjustment: 7 Settings

Drive Type: Self Propelled, Rear Wheel Drive

Grass Catcher Capacity: 60L

Wheel: 203mm (8") Front, 254mm (10") Back with Rubber

Weight NW: 35.0kg

Includes:

Drink Bottle Holder

Quick Connect Hose Connection for Deck Flush

Handle Ring for Easy Height Adjustment

Start / Stop safety Bar

Self Drive Safety Bar

Front Lifting Handle

Hard Top Grass Catcher



**Lawn Mower - Ride On,
Rear Discharge, 130L,
224cc, 24"**

\$3,295.00

Model: XCH62AE

Engine: 6.5HP Loncin LC1P75F, OHV

Displacement: 224cc, 4.2kW

Rated Speed: 3000rpm

Sound Pressure Level LpA: 83.8dB(A)

Power Sound Level (LwA): 94.45dB(A)

Starter Type: Electric

Fuel Tank Capacity: 1.4L

Oil Capacity: 0.6L (SAE 30)

Operation: Rear Discharge and Catcher

Chassis: Robotically Welded

Mower Deck: Steel

Blade: Single

Cutting Width: 62cm (24")

Cutting Height: 25-75mm

Turning Radius: 75cm

Height Adjustment: 4 Settings

Drive Type: Transmission Gear Box

Speed Forward: 4.5km/h (4 Speed)

Speed Reverse: 1.7km/h

Grass Catcher Capacity: 130L

Wheel: Front 11x4.00-5, Rear 13x5.00-6 (1-1.4 Bar)

Dimensions Max.: 1827mm(L) with catcher, 1477mm (L) without catcher x 780mm(W) x 1140(H)

Weight NW: 125kg

Includes:

Adjustable Sliding Seat

Ergonomic Steering Wheel

Powder Coated Cutting Deck



**Lawn Mower - Ride On,
Rear Discharge, 270L,
452cc, 40"**

\$5,869.00

Model: XCT102A

Engine: 16HP Loncin, OHV

Displacement: 452cc, 9.2kW

Rated Speed: 2800rpm

Sound Pressure Level LpA: 88.6dB(A)

Power Sound Level (LwA): 100dB(A)

Starter Type: Electric

Fuel Tank Capacity: 7.5L

Oil Capacity: 1.2L (SAE 30)

Operation: Rear Discharge and Catcher

Chassis: Robotically Welded

Mower Deck: Steel

Blade: Double

Cutting Width: 102cm (40")

Cutting Height: 30-90mm

Turning Radius: 45cm

Height Adjustment: 7 Settings

Drive Type: Transmission Hydrostatic

Speed Forward: 8.8km/h

Speed Reverse: 3.8km/h

Grass Catcher Capacity: 270L

Wheel: Front 15x6.00-6 (1.0 Bar), Rear 18x8.50-8 (1.2 Bar)

Dimensions Max.: 2595mm (L) x 1078mm(W) x 1076mm(H)

Weight NW: 210kg

Includes:

Adjustable Sliding Seat

Ergonomic Steering Wheel

Powder Coated Cutting Deck

Visible Fuel Level

Headlights

Cup Holder



**Lawn Mower - Ride On,
Side Discharge, 452cc,
42.5"**

\$4,349.00

Model: XCT108S

Engine: 16HP Loncin, OHV

Displacement: 452cc, 9.2kW

Rated Speed: 2800rpm

Sound Pressure Level LpA: 88.6dB(A)

Power Sound Level (LwA): 100dB(A)

Starter Type: Electric

Fuel Tank Capacity: 7.5L

Oil Capacity: 1.2L (SAE 30)

Operation: Side Discharge

Chassis: Robotically Welded

Mower Deck: Steel

Blade: Double

Cutting Width: 108cm (42.5")

Cutting Height: 30-90mm

Turning Radius: 45cm

Height Adjustment: 7 Settings

Drive Type: Manual Peerless Transmission

Speed Forward: 8.3km/h (5 Speed)

Speed Reverse: 2.5km/h

Grass Catcher Capacity: Not Applicable

Wheel: Front 15x6.00-6 (1.0 Bar), Rear 18x8.50-8 (1.2 Bar)

Dimensions Max.: 1730mm (L) x 1210mm(W) x 1050mm(H)

Weight NW: 170kg

Includes:

Adjustable Sliding Seat

Ergonomic Steering Wheel

Powder Coated Cutting Deck

Visible Fuel Level

Headlights

Cup Holder



CONTACT US

Phone: 03 313 1415

Fax: 03 313 1495

Email: sales@GoodsDirect2U.co.nz

Web: www.GoodsDirect2U.co.nz

Address: 589 Mount Thomas Road,
RD1,
Fernside
New Zealand

Opening Hours: 9am - 5:00pm Mon-Fri
10am - 12am Sat.
